BMJ Open Toothbrushing programme in Saudi Arabia 'TOPS': a study protocol for a cluster randomised controlled trial in kindergartens, Riyadh


Budur Almutairi ⁽¹⁾, ^{1,2} D Conway,¹ Alastair Ross,¹ Mohammed Hattan,² Fayyad Almogren,² Alex D McMahon¹

ABSTRACT

To cite: Almutairi B, Conway D, Ross A, *et al.* Toothbrushing programme in Saudi Arabia 'TOPS': a study protocol for a cluster randomised controlled trial in kindergartens, Riyadh. *BMJ Open* 2024;**14**:e083504. doi:10.1136/ bmjopen-2023-083504

► Prepublication history and additional supplemental material for this paper are available online. To view these files, please visit the journal online (https://doi.org/10.1136/ bmjopen-2023-083504).

Received 20 December 2023 Accepted 16 July 2024



© Author(s) (or their employer(s)) 2024. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹School of Medicine, Dentistry, and Nursing, University of Glasgow, Glasgow, UK ²Saudi Arabia Ministry of Health, Riyadh, Saudi Arabia

Correspondence to

Budur Almutairi; 2170410a@student.gla.ac.uk

Introduction Dental caries among children is a major global health problem and is a particular public health challenge in Saudi Arabia. Dental caries cause pain, infection and negatively impact quality of life. As part of population oral health improvement efforts in Saudi Arabia, this project aims to evaluate the effectiveness of a supervised toothbrushing programme in kindergartens. Methods and analysis This study is a cluster randomised controlled trial. Enrolment began in September 2022, for two academic years (2022-2024) on 20 randomly selected kindergartens in Riyadh. The data collection phase will be completed in September 2024. Ten kindergartens are randomly allocated to supervised toothbrushing and 10 to treatment as usual, which is an annual oral health awareness visit. The primary endpoint will be the worsening of obvious decay experience as measured by decayed (into dentine), missing and filled teeth (d3mft) from baseline to the second year of follow-up. The secondary endpoint will be the increase in the number of teeth affected. A priori subgroups of the region of Rivadh. school type (public, private), child sex and presence/ absence of prior decay at baseline, will be analysed. We require 244 evaluable endpoints using a power of 80% to meet the sample size requirement. In addition, questionnaires on behaviours, quality of life, process monitoring and cost analysis are being deployed. Ethics and dissemination Ethics approval for this study was given by the King Fahad Medical City Institutional Review Board in the Saudi Ministry of Health (22-083E/ March 2022). The data analysis has been approved by the University of Glasgow Medical Veterinary and Life Sciences Research Ethical Committee (200220194/March 2023). The results of this study will be disseminated through presentations at scientific conferences and in scientific iournals.

Trial registration number NCT05512156.

INTRODUCTION

Dental caries of the primary dentition is the most common prevalent childhood condition as identified in the Global Burden of Disease study with 514 million children being affected worldwide.¹ The WHO Global Oral Health Status Report stated that the disease burden

STRENGTHS AND LIMITATIONS OF THIS STUDY

- ⇒ The study design, which investigates the efficacy of supervised toothbrushing in the two academic years of kindergarten, reflects exactly the population for which the intervention could be rolled out if the study has a positive conclusion.
- ⇒ A methodological strength of this study is that because the primary endpoint is 'worsening of decay,' this means that children with pre-existing decay are eligible for inclusion in the study. This is essential for the generalisability of the final results and allows us to use prior decay as a subgroup for analysis.
- ⇒ The study was powered to detect a treatment difference of 15% versus 30% in the primary endpoint, resulting in a sample size of 122+122 = 244 children, which was inflated to a randomised number of 153+153 = 306 to allow for a dropout percentage of 20%, in 10+10 = 20 schools.
- ⇒ We are also collecting quality of life data from the Child Health Utility 9 Dimensions questionnaire, additional cost data for the intervention arm, and behavioural and dental health services data and will also conduct an integrated process evaluation of the trial.
- ⇒ The availability of Kindergarten Level Two children, who are the participants of this study, in public schools is limited compared with private kindergartens.

has been reported to be particularly high in the Eastern Mediterranean Region.² A recent nationwide oral health survey of school children across Saudi Arabia reported an overall prevalence of 66% for dental caries, with 72% occurring in primary teeth and 62% in permanent teeth in 2023.³

Oral health improvement programmes in educational settings such as kindergartens and schools are particularly important because oral health initiatives can be implemented and reach children at a young age and on a population scale.⁴ A recent systematic review revealed that the implementation of daily

Open access

supervised toothbrushing in educational settings can lead to a significant reduction of 30% in decayed, missing and filled teeth (dmft) when compared with the control group that solely received oral hygiene instructions.⁵ However, there have been a few randomised controlled trials of supervised toothbrushing programmes, particularly in areas with high caries or where other oral health improvement programmes or initiatives are in place such as water fluoridation. Three trials (all conducted in Europe or North America) found that caries reduction in children receiving supervised toothbrushing compared with control ranged from 24% to 56%.^{6–8}

However, there have been no studies conducted in Saudi Arabia to date, nor there have been any studies evaluating supervised toothbrushing programmes where the public water supply is fluoridated. The potential of implementing and evaluating daily supervised toothbrushing in early years educational settings in Riyadh, Saudi Arabia where there is community water fluoridation could contribute to preventing dental caries in the childhood population.⁹

STUDY OBJECTIVE

The objective of this study is to compare the effectiveness of supervised toothbrushing with treatment as usual (TAU) in preventing any further dental decay from developing.

METHODS AND ANALYSIS

Study design

Basic design: cluster randomised toothbrushing in kindergartens in Riyadh KSA.

Group 1—Supervised Toothbrushing plus TAU. *Group 2*—TAU.

The design is described diagrammatically in figure 1 (flow diagram of the TOPS study).

Study enrolment began in September 2022, and data collection will be completed in September 2024.

Study population

One hundred and fifty-three children will be recruited into each of the two arms of the study. They will be identified in 20 kindergartens from public and private schools in Riyadh city including the North and East regions. The average age of children at recruitment will be 4 years old attending the second (year) level of kindergarten schools (KG2). The children's approval to participate will be assessed by consent forms that will be sent (along with participant information sheets) to parents through the kindergartens before the commencement of the study.




Figure 1 Flow diagram of the TOPS study. STB, supervised toothbrushing; TAU, treatment as usual.

Inclusion criteria

- Receipt of a signed informed consent form from a parent or legal guardian.
- Children in the second year of kindergarten school (known as KG2).
- ► Children with or without pre-existing dental caries.

Exclusion criteria

Child is unwell on the same day of dental inspection.

Identification of participants and consent

Once the headteacher has agreed for their kindergarten to participate in the study, a consent form will be sent to the parents or guardians of every KG2 child through the kindergartens, with instructions to children to bring them home and back to school (online supplemental file 1'). On the day of the dental inspections (baseline), any child showing distress or verbal, or non-verbal signs of extreme reluctance will be excluded from the study if the dentists feel that continuing with the inspection would cause the child further distress.

Withdrawal of subjects

Parents who withdraw their child will be asked, if appropriate, to agree to have the end-of-study dental inspection examination, to make the best use of the information collected on that child. Children who leave a trial kindergarten during the study, but remain in the local area, and go on to attend a local school will receive an endpoint dental inspection (unless they have actively withdrawn from the study). The parents/guardians of these children will be informed in advance of the inspection visit to their child's school. In the event of a child having to leave the study due to withdrawn consent, or moving home and so on, the head teacher at the school will inform the study team. If the parent agrees, arrangements will be made to complete the end-of-study dental inspection to maintain that child in the study database by completing the Endof-Study Form.

Study schedule

Up to three main kindergarten visits are involved for children who are retained throughout the study. The first will be to complete the baseline dental inspection and baseline questionnaires which include a Child Health Utility 9 Dimensions (CHU9D),¹⁰ behavioural and health and dental care services resource use questionaries distribution and to distribute toothbrush/toothpaste packs (two packs for every child every 3 months, one for use in the school and the other in the home). The second visit is after 1 year of intervention for follow-up with further distribution of toothbrushing packs and questionnaires which include a CHU9D and behavioural questionnaires. The final visit is to undertake an endpoint dental inspection to reinspect the child and to distribute the final questionnaires at the end of the study which include a CHU9D, behavioural and health and dental care services resource use questionaries. Neither children nor parents are required to make special visits to a clinic or other study base.

Visit 1: examination/0 month intervention visit.

At this visit, the study staff will confirm eligibility before the baseline dental examination is undertaken by a study dental practitioner (ie, that a signed consent form has been received, and the child has no obvious temporary oral infections or injuries that would lead to exclusion on the day). Dental inspection and collection of examination data will be completed. Packs of toothbrushes/ toothpaste and questionnaires will be distributed, and the supervised toothbrushing process will be explained to both teachers and children—following established protocols and guidelines.¹¹

Visit 2: one academic year (±3 months): questionnaires and toothbrushing packs distribution.

Visit 3: two academic years (±3 months): endpoint questionnaires' distribution and end-of-study dental examination visit.

This visit will be conducted when participating children are in KG3, and approximately 5–6 years old. The final dental inspection will be undertaken, and data collected accordingly, regardless of whether the sequence of the supervised toothbrushing had been interrupted or discontinued for any reason.

Study outcomes and endpoints

The main outcome measurement will be the number of teeth with obvious decay experienced into dentine for a participating child. This will be measured at both the baseline visit and after two academic years of follow-up. The difference from two academic years minus the baseline measure will then be calculated. Any negative differences will be set to zero. Negative differences can happen either due to tooth trauma or due to variations in the inspection data. This is to be expected due to the nature of tooth charting, and this is especially possible when different dentists/therapists inspect the same child.

The primary *endpoint* will be 'worsening of decay', namely an increase in the number of dmft of one or more. This variable can be coded as a binary variable with categories of yes and no. The secondary endpoint will be the increase in the number of teeth affected.

Quality of life

In addition to clinical data, information on how a child's general and oral health affects their quality of life will be collected using a CHU9D questionnaire which will be distributed at three points in the trial: at baseline, one academic year and two academic years. Also, the parents/ guardians of the participants will be asked to complete a behavioural questionnaire on the health of the child's teeth, how they take care of them and the child's diet and a questionnaire on health and dental care services resource use that is designed to elicit information on the uptake of health and dental care services and medication use by the child within the past 12 months will also be distributed at each of the baseline and two academic years rounds. The questionnaire packs will be distributed to the parents/legal guardians via the kindergarten. Several well-established techniques to enhance questionnaire response rates will be used.

These are as follows:

- ► The cover page for the questionnaire pack sent at baseline.
- Parents who had previously provided a mobile telephone number will receive a text reminder if they have not returned the questionnaires within 1 week.
- ► At the end of the second week, a second copy of the questionnaire pack will be distributed via the child's kindergarten to any non-responders.
- ► At the end of the third week, the non-responding parents will be contacted by telephone to remind them to complete the questionnaires.

In addition, information on school health policies about School Health Services, school physical environment, health education, school policies and resources will be collected through headteacher surveys (online supplemental file 2).

Adverse reaction reporting

If there are any immediate adverse reactions to the fluoridated toothpaste (eg, mucositis, allergy, etc), the product will be removed by rinsing. The possible adverse reaction may be noticed immediately by the dental team or later by the teachers or parents and this will be documented in the form.

Intervention

Recruitment, consent and questionnaires (Behaviours, Quality of Life, Cost Analysis) distribution.

- ► Mandatory training and calibration for the dental inspection team.
- ► Consent through kindergartens.
- ▶ Inclusion and exclusion criteria applied.
- ▶ Child baseline dental examination.
- ► Toothbrushes and toothpastes packs delivery (six packs per child per year—child soft toothbrush with a 1450 ppm fluoridated toothpaste).
- Kindergarten teachers training in supervised toothbrushing protocols.¹¹
- ► Three month interval monitoring visits for toothbrush/toothpaste packs distribution, and a monitoring sheet for the number of children brushed will be used by the monitor and the supervised teacher.
- ► One academic year follow-up and questionnaires (Behaviours) distribution.
- Endpoint dental examination and questionnaires (Behaviours, Quality of Life, Cost Analysis) distribution.

Treatment as usual (TAU)

All children in this arm of the study will be receiving TAU which is an oral health awareness education session in the school (once per year)—covering topics including the importance of daily toothbrushing, a healthy diet and

demonstrating how to brush correctly and efficiently. All children in Riyadh are exposed to background 0.6-1.5 ppm water fluoridation.¹²

Storage of study products

Toothbrushes/pastes for the intervention group will be stored in the school at the recommended storage temperature of 25°C, opened tubes will be discarded after '12 months'.

STATISTICS AND DATA ANALYSIS

The primary endpoint which is 'worsening of decay' will be tabulated and analysed by ORs, with the attendant 95% CIs and p-values. This will also be carried out for the subgroups of the region of Riyadh, school type (public, private), child sex and presence/absence of prior decay at baseline. Additionally, interaction tests will look at any possible synergy or antagonism of the treatment effect with the four subgroups (separately). Logistic regression models will be used for these analyses. The numeric value of the number of excess teeth with obvious decay (ie, the secondary endpoint) will also be analysed. All statistical tests will be carried out at the traditional 5% significance level, using the software package SAS V.9.4. There are no issues with multiple testing as the primary endpoint and analysis are clearly defined, with the other analyses being of an exploratory nature.

Sample size

The sample size calculation is based on the primary endpoint which is 'worsening of decay'. This calculation used a power of 80% and an alpha level of 5%. As this is a cluster randomised trial, the usual sample size is slightly inflated by the design effect (DE) of DE=1 + (N-1) *ICC. N is the average class size, which is assumed to be 15 children being successfully inspected and partly based on pilot data and partly based on the traditionally weak intraclass correlations (ICC) in public health that have been assumed to be 0.001, which produces a DE of 1.019. To detect a difference of 15% worsening in the toothbrushing group versus 30% in the TAU group,122 children in each group with evaluable endpoints will be required, providing a total sample size of 244 children. Note that to contribute an evaluable endpoint, a child will need valid dental inspections at both the baseline and the end of the study. However, in practice, not all of the children will complete the study. If a loss to follow-up rate of 20% is assumed, inflation of the number of children that are required to be randomised is 153 in each group, and 306 children in total. This corresponds to approximately 20 schools.

In summary:

- ► Randomise 153+153 = 306, from 10+10 schools.
- ► The sample size requires 122+122 = 244 evaluable endpoints.

Randomisation

A stratified random sampling technique was performed where schools were the unit of randomisation. A random sampling of the school list obtained from the Ministry of Education was used to allocate schools to either an intervention or a TAU group within each stratum from both two regions (North and East) using blocks of two.

For the type of school, we have only six available public schools, so we will include all of them (three in each) and the remaining 14 of the private schools (seven in each).

Blinding

Children participating in this study cannot be blinded given the nature of the intervention. Both children and their parents will be provided with an information sheet that explains the intervention; therefore, they will know whether they will be in either the intervention or TAU group. Examiners will be blinded as children in both groups will be dealt with identically in the dental inspection visits. All outcome assessment data will be delivered to the principal investigators, and thus, each school will be identified to the allocated group according to the child's code that was generated for each child to anonymise names during data collection and analysis.

Subgroups

Some subgroups of interest will be available for study in the analyses.

- 1. Sex.
- 2. Type of school. The study will recruit from both public and private kindergartens.
- 3. Region of school. The study will recruit kindergartens from the north and east regions of Riyadh.
- 4. Dental caries at baseline. Most of the children will have existing dental caries at baseline, this will be a yes/no variable. If the decay proportion reaches over 90%, this subgroup may be unreliable.

ECONOMIC EVALUATION

Economic evaluation data sources

Trial-related resource use will be estimated using the information from direct inquiries from a staff costs questionnaire. For each trial-related visit to a participating kindergarten, the trial staff will fill in a staff costs questionnaire, which contains questions on time spent in a kindergarten delivering interventions, distance travelled (calculated from postcodes of the origin and destination of journeys), the number and type of vehicles involved in a visit to the kindergarten and the number of toothbrushing backs that were distributed. The CHU9D will allow the calculation of quality-adjusted life-years (QALYs), while the other outcome questionnaires will provide data on oral/general health-related life qualityof-life scores only.

Economic evaluation methods

The incremental costs and benefits of the toothbrushing intervention over and above TAU will be explored. The relationship between the general health and oral healthrelated quality of life measures and the decayed (into dentine), missing and filled teeth (d3mft) outcomes will be assessed using linear regression methods. A cost-utility analysis will also be performed: with the outcome measure being. QALYs will be calculated using responses to the CHU9D questionnaires. Both costs and health outcomes will be discounted at the same annual rate of 1.5% as per the public health reference case. Sensitivity analysis will be performed by varying such parameters as the costs of staff and the time the trial staff spent to deliver the interventions to each child. The results of the economic evaluation will be reported using a cost-effectiveness plane and Cost-Effectiveness Acceptability Curve, incorporating the currently accepted values of willingness-to-pay thresholds for a QALY as per the National Institute for Health and Care Excellence (NICE) guidelines.¹³

Intervention cost

Staff travel information and costs that are related to staff delivering the interventions will be collected. Members of staff will be asked to fill in a 'staff travel cost' form each time they visit a kindergarten. A full economic evaluation of the study will be carried out and will be reported separately following the UK's NICE public health economic evaluation guidelines.¹³ Health outcomes will be expressed over the two academic years follow-up period using the CHU9D questionnaire to obtain utility scores.

DATA HANDLING

There are three distinct phases to study data management.

Phase 1. Identification and consent of study participants. *Phase 2.* Dental examinations (baseline and follow-up). *Phase 3.* Intervention (toothbrushing/TAU) activity recording.

Examination sheet/data record

Examination forms will be used to collect study data. Access to data will be restricted, and they will be entered by study personnel, with only authorised site-specific personnel able to make entries or amendments to their participants' data. All data handling procedures will be detailed in a Study Specific Data Management Plan. Data will be validated at the point of entry and at regular intervals during the study. Data discrepancies will be flagged to the study site and any data changes will be recorded to maintain a complete audit trail (reason for the change, date change made and who made the change).

STUDY MONITORING

Study Monitoring Visits will be conducted by the Saudi Ministry of Health (MOH) dental staff team every 3 months with toothbrushing packet distribution. A monitoring sheet will be used by the monitor and the supervised teacher. A single named person at each treatment site, responsible for overseeing the intervention, will be asked on each quarterly visit whether children have the opportunity to brush their teeth every day, and if not to explain when/why this may not be possible. They will then be asked to give the main challenges to daily brushing (barriers) and to say what helps.

As well as quarterly monitoring visits, a dedicated survey of school health policies and practices will be carried out. This survey will be administered to Head Teachers (or other suitable education leads) at both intervention and TAU schools. This covers any ongoing contextual activity that could affect the children's oral health such as hygiene provision, nutritional services and policies, health education and resources, etc.

PROCESS EVALUATION

We will conduct an integrated process evaluation of the trial, which will allow us to:

- Describe the implementation of the intervention and data collection in schools, including barriers and facilitators to efficiency and effectiveness.
- Collate the experiences of those involved, including staff and parents.
- ► Make recommendations for the full roll-out of the programme in Saudi Arabia, should the trial be successful.

Make recommendations for the carrying out of trials in early years settings, and for complex communitybased trials in general.¹⁴

The process evaluation is guided by a simple logic model for the trial (see figure 2 logic model to guide process evaluation) which sets out intended resource use, key activities and intended short and longer term outcomes.

Patient and public involvement

Participants (children), parents, school staff and teachers were involved in the research before, during and after the start of the study. Before the start of the study, the importance of supervised toothbrushing was discussed with policymakers in the Saudi Ministry of Health and the Ministry of Education and they were involved in the recruitment and conduct of the study. Also, the preferable way and time of brushing were negotiated with children, parents and teachers. During the study, monitoring visits will keep them involved in the progress of the intervention and any challenges that occur. After the study, they will be involved in plans to disseminate the study results to participants and relevant wider public communities.

Situation: High Caries Prevalence in Saudi Children Population




Figure 2 Logic model to guide process evaluation. Toothbrushing Programme in Saudi Arabia 'TOPS' – a cluster randomise controlled trial in kindergartens, Riyadh Logic Model. DT, dental team; KG2, Kindergarten Level Two; STB, supervised toothbrushing; TB, toothbrushing.

ETHICS

This study was approved ethically by the King Fahad Medical City institutional review board in the Saudi Ministry of Health (22-083E/March 2022). Study participants will only be allowed to enter the study once either a parent or legal guardian has provided written informed consent. The Chief Investigator will be responsible for updating the Ethics Committee on any latest information that is related to the study. The data analysis for this study had been approved ethically by the University of Glasgow Medicine, Veterinary and Life Sciences Research Ethical Committee (200220194/March 2023).

Trial registration was obtained via clinicaltrials.gov.¹⁵

DISSEMINATION OF FINDINGS

Study team members will collaborate on producing papers to be submitted to peer-reviewed journals and abstracts of proposed presentations at national and international conferences and symposia.

Acknowledgements The authors would like to thank the Saudi dental inspection team: Wejdan AL Harthy, Tasneem Rashid, Sarah Alshahrani, Mashael Almoghairi, Nohaiah Alnoaim, Eman Aboali, Norah Alnomsy and Reem Abo-Omar.

Contributors BA was responsible for intervention design, protocol development, supervising the dental team, data collection, data clearance, intervention monitoring, investigation, project management and evaluation. DC helped in intervention design, protocol development and academic supervision. AR contributed to the monitoring and evaluation process. ADM developed the methodology, took part in the design of the study and will conduct statistical analysis. MH supervised the study in Saudi Arabia and was involved in dental team organisation and administration. FA assisted in dental team supervision. BA is the guarantor.

Funding This work was supported by the Saudi Ministry of Health studentship (43/C/27,2022).

Competing interests None declared.

Patient and public involvement Patients and/or the public were involved in the design, or conduct, or reporting or dissemination plans of this research. Refer to the Patient and public involvement section for further details.

Patient consent for publication Not applicable.

Provenance and peer review Not commissioned; externally peer reviewed.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines,

terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: http://creativecommons.org/licenses/by-nc/4.0/.

ORCID iD

Budur Almutairi http://orcid.org/0009-0001-6205-9839

REFERENCES

- 1 Who.int. Oral health. 2024. Available: https://www.who.int/newsroom/fact-sheets/detail/oral-health
- 2 World Health Organisation. Global Oral Health Status Report: Towards Universal Health Coverage for Oral Health by 2030. www. who.int, 2022. Available: https://www.who.int/publications/i/item/ 9789240061484
- 3 Orfali SM, Alrumikhan AS, Assal NA, et al. Prevalence and severity of dental caries in school children in Saudi Arabia: a nationwide crosssectional study. Saudi Dent J 2023;35:969–74.
- 4 Clark E, Foster Page LA, Larkins K, et al. Caries-preventive efficacy of a supervised school toothbrushing programme in Northland, New Zealandnorthland, New Zealand. Comm Dent Health 2019;36:9–16.
- 5 Bramantoro T, Santoso CMA, Hariyani N, et al. Effectiveness of the school-based oral health promotion programmes from preschool to high school: a systematic review. *PLoS ONE* 2021;16:e0256007.
- 6 Amend S, Hartmann T, Heinzel-Gutenbrunner M, et al. Caries experience and increment in children attending kindergartens with an early childhood caries preventive program compared to basic prophylaxis measures-a retrospective cohort study. J Clin Med 2022;11:2864.
- 7 Andruskeviciene V, Milciuviene S, Bendoraitiene E, et al. Oral health status and effectiveness of caries prevention programme in Kindergartens in Kaunas city (Lithuania). Oral Health Prev Dent 2008;6:343–8. Available: https://pubmed.ncbi.nlm.nih.gov/19178101/
- 8 Curnow MMT, Pine CM, Burnside G, *et al.* A randomised controlled trial of the efficacy of supervised toothbrushing in high-caries-risk children. *Caries Res* 2002;36:294–300.
- 9 Alshammari FR, Alsayed AA, Albakry M, et al. Evidence based recommendations to improve the children oral health in Saudi Arabia. Saudi Dent J 2022;34:431–44.
- 10 University of Sheffield Licensing. CHU9D Measuring Health and Calculating QALYs for Children and Adolescents. licensing.sheffield. ac.uk, 2023. Available: https://licensing.sheffield.ac.uk/product/CHU-9D
- 11 Policies and Guidance Childsmile, 2023. Available: https://www. childsmile.nhs.scot/professionals/resources/evidence/
- 12 Ministry of Health Saudi Arabia. Ministry of health saudi arabia. 2007. Available: https://www.moh.gov.sa/en/Ministry/MediaCenter/News/ Pages/NEWS-2007-11-26-001.aspx
- 13 National Institute for Health and Care Excellence. NICE Guidelines. NICE, 2023. Available: https://www.nice.org.uk/about/what-we-do/ our-programmes/nice-guidance/nice-guidelines
- 14 Moore GF, Audrey S, Barker M, et al. Process evaluation of complex interventions: medical research council guidance. BMJ 2015;350:h1258.
- 15 clinicaltrials.gov. Toothbrushing Program in Saudi Arabia "TOPS"
 Full Text View ClinicalTrials.gov, 2024. Available: https://classic. clinicaltrials.gov/ct2/show/NCT05512156

Consent Form



CONSENT FORM Dental Examinations in Schools

(Please initial all bo	oxes that apply)
I confirm that I have read and understand the letter and the information sheet for the above study. I have had the opportunity to consider the information, ask questions and have had these answered satisfactorily.	
I understand that my child's participation is voluntary, and I can withdraw them at any time without giving any reason and that my and their dental care will not be affected.	
I understand that my child will be given a unique identifying number and therefore data will be anonymised.	
I consent to photographs being taken of my child's mouth and teeth (no full faces) for teaching healthcare staff and students, presentations at conferences and for an online training tool for dental teams. (*If you decide to withdraw consent at a later date it MAY NOT be possible to withdraw images that could already be in the public domain.)	
I agree to my child taking part in the above study.	
I DO NOT want my child to take part in the study.	

Full name of child:			
Name of parent/carer:			
Relationship to child:	Parent	Guardian	Other
If 'other' please specify:			
Signature of parent/carer:			
Date:			

Questionnaire Cover Sheet – Round 1

(R1)

How does a child's health affect their quality of life?

We would like to ask you the same series of questions as we asked you a year ago, to find out how a child's oral and general health affect their quality of life. The questionnaire takes around 10 to 15 minutes to fill in. Some questions might seem to cover the same ground, but they do serve slightly different purposes, so please answer <u>all questions</u> in this questionnaire pack.

Like your child's involvement in the main Study, participation in this survey is voluntary. If you decide not to complete the questionnaire, your decision will not affect your child's continued participation in the study, or the standard of care you or your child may receive from the MOH, now or in the future. Your answers will be treated confidentially.

This is the first round of this questionnaire, out of a series of three in total. Even though you filled out a similar questionnaire about a year ago, we need you to fill in this one as well to help us assess if there have been any changes over time. You will also receive the second questionnaire in a year.

If you would like more information, you can contact us

PLEASE ANSWER ALL QUESTIONS IN THIS PACK, THEN RETURN IT TO THE KINDERGARTEN.

Questionnaire Cover Sheet – Round 2

(R2)

How does a child's health affect their quality of life?

We would like to ask you the same series of questions as we asked you a year ago, to find out how a child's oral and general health affect their quality of life. The questionnaire takes around 10 to 15 minutes to fill in. Some questions might seem to cover the same ground, but they do serve slightly different purposes, so please answer <u>all questions</u> in this questionnaire pack.

Like your child's involvement in the main Study, participation in this survey is voluntary. If you decide not to complete the questionnaire, your decision will not affect your child's continued participation in the study, or the standard of care you or your child may receive from the MOH, now or in the future. Your answers will be treated confidentially.

This is the second round of this questionnaire, out of a series of three in total. Even though you filled out a similar questionnaire about a year ago, we need you to fill in this one as well to help us assess if there have been any changes over time. You will also receive the final questionnaire in a year.

If you would like more information, you can contact us

PLEASE ANSWER ALL QUESTIONS IN THIS PACK, THEN RETURN IT TO THE KINDERGARTEN.

Questionnaire Cover Sheet – Round 3

(R3)

How does a child's health affect their quality of life?

We would like to ask you the same series of questions as we asked you a year ago, to find out how a child's oral and general health affect their quality of life. The questionnaire takes around 10 to 15 minutes to fill in. Some questions might seem to cover the same ground, but they do serve slightly different purposes, so please answer <u>all questions</u> in this questionnaire pack.

Like your child's involvement in the main Study, participation in this survey is voluntary. If you decide not to complete the questionnaire, your decision will not affect your child's continued participation in the study, or the standard of care you or your child may receive from the MOH, now or in the future. Your answers will be treated confidentially.

This is the last round of this questionnaire, out of a series of three in total. Even though you filled in a similar questionnaire about a year ago, we need you to fill in this one as well to help us assess if there have been any changes over time.

If you would like more information, you can contact us

PLEASE ANSWER ALL QUESTIONS IN THIS PACK, THEN RETURN IT TO KINDERGARTEN.

Child Health Utility 9D



Child Health Utility 9D

Instructions

These questions ask about how your child is **today.** For each question, read all the choices and decide which one is most like your child **today**. Then put a tick in the box next to it like this \square . Only tick **one** box for each question. Some questions have extra guidance with them as your child is under 5 years of age.

Example

Today my child feels quite upset so I will tick this box.

Upset

- ☐ My child doesn't feel upset today
- □ My child feels a little bit upset today
- □ My child feels a bit upset today
- ☑ My child feels quite upset today
- □ My child feels very upset today

Now think about and answer the rest of the questions below

1. Worried

- My child doesn't feel worried today
- □ My child feels a little bit worried today
- □ My child feels a bit worried today
- □ My child feels quite worried today
- □ My child feels very worried today

2. Sad

- □ My child doesn't feel sad today
- □ My child feels a little bit sad today
- □ My child feels a bit sad today
- □ My child feels quite sad today

□ My child feels very sad today

3. Pain

□ My child doesn't have any pain today

- □ My child has a little bit of pain today
- □ My child has a bit of pain today
- □ My child has quite a lot of pain today
- □ My child has a lot of pain today

4. Tired

- My child doesn't feel tired today
- □ My child feels a little bit tired today
- □ My child feels a bit tired today
- □ My child feels quite tired today
- □ My child feels very tired today

5. Annoyed

- My child doesn't feel annoyed today
- □ My child feels a little bit annoyed today
- □ My child feels a bit annoyed today
- □ My child feels quite annoyed today
- □ My child feels very annoyed today

6. kindergarten activities (coloring, looking at books/reading, and concentrating, as appropriate for their age)

If your child didn't go today because of their health and they usually would have, please tick the last option "My child can't do their kindergarten activities today". If today is not a day they usually would have gone, then please think about how you think they would have been had they gone.

- □ My child has no problems with their nursery activities today
- $\hfill\square$ My child has a few problems with their nursery activities today
- □ My child has some problems with their nursery activities today
- $\hfill\square$ My child has many problems with their nursery activities today
- My child can't do their nursery activities today

7. Sleep

- □ Last night my child had no problems sleeping
- □ Last night my child had a few problems sleeping
- Last night my child had some problems sleeping
- Last night my child had many problems sleeping
- Last night my child couldn't sleep at all

8. Daily routine (things like eating, having a bath/shower, getting dressed)

Please think about this question in terms of eating, drinking, toileting, washing and teeth cleaning, as appropriate for their age.

- □ My child has no problems with their daily routine today
- □ My child has a few problems with their daily routine today
- □ My child has some problems with their daily routine today
- □ My child has many problems with their daily routine today
- □ My child can't do their daily routine today
- 9. Able to join in activities (things like playing out with their friends, doing sports, joining in things)

Please think about this question in terms of the activities your child would usually be doing today.

- □ My child can join in with any activities today
- □ My child can join in with most activities today
- □ My child can join in with some activities today
- □ My child can join in with a few activities today
- □ My child can join in with no activities today
- 10. How would you rate your child's health today?
- □ excellent
- □ very good
- □ good
- 🛛 fair
- □ poor
- **11.** Do you feel there is any aspect of your child's health-related quality of life that is not covered by these questions?

Oral Health Questionnaire for Parental Completion



KG name:

Child ID:

First, we would like you to ask about your child's teeth

1. How would you describe the health of your child's teeth? (Read each item)

	Teeth
Excellent	1
Very good	2
Good	3
Average	4
Poor	5
Very poor	6
Don't know	9

Now please answer some questions about the care of your child's teeth

2. How often does your child visit a dentist in a year?

(Put a tick/cross in one box only)	
Never	1
Several times (2–3 times)	2
Once a month	3
Several times a month (2–6 times)	4
Once a year	5
If your child did not coo a dontist during the last 12	months as on

If your child did not see a dentist during the last 12 months, go on to question 4

3. What was the reason for your child's last visit to the dentist?

(Put a tick/cross in one box only)	
Pain or trouble with teeth, gums or mouth	1
Treatment/follow-up treatment	2
Routine check-up of teeth/treatment	3
I don't know/don't remember	9
3. How often does your child clean his/her teeth?	
(Put a tick/cross in one box only)	
Never	1
Never Several times a month (2–3 times)	
	2
Several times a month (2–3 times)	2 3
Several times a month (2–3 times) Once a week	2 3 4
Several times a month (2–3 times) Once a week Several times a week (2–6 times)	2 3 4 5

4. a) Do you use toothpaste to clean your child's teeth 1 2

Yes No

b) Do you use toothpaste that contains fluoride? 1 2

Yes No

Don't know 9

5. How often does your child eat or drink any of the following foods, even in small quantities? (Read each item)

	Several		Several		Several	
	times	Every	times	Once	times	
	a day	day	a week	a week	a month	Never
	6	5	4	3	2	1
Fresh fruit						
Canned Juices						
Biscuits, cakes, cream cakes,						
sweet pies, buns, etc Lemonade, Coca Cola or othe						
soft drinks Jam/honey Chewing gum containing sug Sweets/candy Milk with sugar	 ar 					
Milk Bottle during night						
6. What level of education h	as the chi	d's father	completed	?		
No formal schooling Less than primary school Primary school completed Secondary school completed High school completed College/university completed No male adult in household . Don't know	· · · · · · · · · · · · · · · · · · ·					
7. What level of education h				d?		
No formal schooling Less than primary school Primary school completed Secondary school completed High school completed College/university completed No female adult in household				5 6 7		
Don't know			<u>c</u>)		

8. What is the source of drinking water in your house?

public network 1
Water Bottles 2
Filters
Tank 4
domestic well 5
other 6
If other, mention please,
9. How many times that your child usually drink water daily?
Once 1
Twice
Three times 3
More than three times 4
Sometimes 5
Never 6
That completes our questionnaire Thank you very much for your cooperation!

Year	Month	Day	Interviewer	District	School

CHILD'S USE OF HEALTH AND DENTAL CARE SERVICES

in the past 12 months



YOUR CHILD'S USE OF HEALTH AND DENTAL CARE SERVICES in the past 12 months

1) What health and dental ca MONTHS?	are services has your child u	sed within the PAST 12
Note: Please enter '0' (zero) if se	ervice has not been used	
Service	Total number	r of contacts
General Practitioner (GP)		
Accident and Emergency (A&E	E) visit	
Dentist (at your family dental p	ractice)	
Dental hygienist/therapist (at y		
Speech therapist	,	
Hospital inpatients stay	Number of nig	ihts:
Hospital outpatients stay		
Other (1):		
Other (2):		
2) Please list below your child's	use of any medication (e.g. pain	killers, antibiotics) he/she has
taken within the PAST 12		
Name of medication		Daily dosage
1		
2		
3		
4		
5		

3) In the past 12 months, approximately how many days has your child had off nursery/school due to ill health (including ill health due to dental problems)? Number of days off nursery/school:

4) Did you or another parent/guardian have to take time off work or your usual daily activities due to your child being off nursery/school (due to ill health) in the past 12 months?

Yes No If yes, please state how many days:....

This is the end of the questionnaire THANK YOU VERY MUCH!

School Health Policies and Practices Survey



School Health Policies and Practices Survey

1. School Health Services

- 1-01. Does this school have someone officially responsible for managing or coordinating this school's health services?
 - A. Yes
 - B. No
 - C. I do not know
- 1-02. Does this school have the supplies needed for teachers and other school staff to apply standard or universal precautions, * including disposable gloves and bandages?
 - A. Yes B. No
 - C. I do not know
- 1-3. As part of the health services offered to students, are the following screenings* routinely provided for at least most students? (*Mark yes or no or I do not know for each screening.*)

		Yes	No	l do not know
Α.	Eye and vision	0	0	0
	Ear and hearing			
	Oral health			
D.	Nutrition (such as for anemia, malnutrition,			
	and obesity)	0	0	O

2. School Physical Environment

Water, and hygiene

2-01. Which of the following statements best describes the current service level of this school's handwashing facilities for students?

- A. Soap and water are available at handwashing facilities for students
- B. Only water, but no soap, is available at handwashing facilities for students
- C. No water is available at handwashing facilities for students
- D. No handwashing facilities for students are available
- E. I do not know

2-02. What is the source of drinking water in your house?

- A. public network
- B. Water Bottles
- C. Filters
- D. Tank
- E. Domestic well
- F. Other

If other, mention please,

3. Food and Nutrition Services

3-01. Does this school provide food and nutrition services* to students?

- A. Yes
- B. No (Go to 3-08)
- C. I do not know (Go to 3-08)

3-02. Which of the following statements best describes how school policy addresses food and nutrition services for students?

A. School policy provides a specific plan or guidelines for implementing food and nutrition services for students

B. Food and nutrition services are mentioned in a school policy, but there is no specific plan or guideline for implementing food and nutrition services for students

- C. Food and nutrition services for students are not addressed in any school policy
- D. I do not know
- 3-03. Are the following foods and beverages routinely made available to students through the school's food and nutrition services? (Mark yes or no or I do not know for each food or beverage.)

		Yes	No	l do not know
Α.	Fruit			
В.	Vegetables	0	0	O
C.	Milk or milk products	0	0	. 0
D.	Foods high in fiber such as whole grains,			
	legumes, or nuts	0	0	0
E.	Foods high in sugar including cookies, pastr	ies,		
	or other baked goods		0	0
F.	Salty foods such as chips or			
cra	ckers	0	0	0
G.	Chocolate or other candy	0	0	0
	Fried foods or other foods high in unhealthy			
	Sugar-sweetened carbonated soft drinks			
J.	Sports and energy drinks	0	0	0
Κ.	100% fruit or vegetable juices	0	0	0
L.	Fruit or vegetable drinks that are not 100% j			
Μ.	Sugar-sweetened flavored milks			
	Sugar-sweetened teas, coffees, or flavored			
	Water			
Oth	er foods and beverages available at schoo	ol		

- 3-04. May students purchase food or beverages from a vending machine, school store, canteen, or snack bar on school premises.
 - A. Yes
 - B. No (Go to 4-01)
 - C. I do not know (Go to 4-01)
- 3-05. Are healthy foods and beverages in the vending machine, school store, canteen, or snack bar on school premises priced lower than unhealthy options to encourage students to purchase healthy ones?
 - A. Yes
 - B. No
 - C. I do not know
- 3-06. Does this school have a policy banning the sale of sugar-sweetened beverages* to students?
 - A. Yes
 - B. No
 - C. I do not know

3-07. Are the following foods and beverages routinely made available to students through vending machines, stores, canteens, or snack bars on school premises? (Mark yes or no or I do not know for each food or beverage.)

	-	Yes		I do not know
	Fruit	••••		
	Vegetables			
	Milk or milk products	0	0	0
	Foods high in fiber such as whole			
	grains, legumes, or nuts	0	0	0
E.	Foods high in sugar including cookies,			
	pastries, or other baked goods	0	0	0
F.	Salty foods such as chips or crackers.	0	0	0
G.	Chocolate or other candy	0	0	0
	Fried foods or other foods high in			
	unhealthy fats	0	0	0
	Sugar-sweetened carbonated soft			
	Drinks	0	0	0
J.	Sports and energy drinks	0	0	0
K.	100% fruit or vegetable juices	0	0	0
L.	Fruit or vegetable drinks that are not			
	100% juice	0	0	0
	Sugar-sweetened flavored milks			
	Sugar-sweetened teas, coffees, or			
	flavored waters	0	0	0
	Water	-	-	0
•••				

Food and nutrition services environment

- 3-08. Does this school have a policy that students may bring water from home to drink during the school day?
 - A. Yes B. No

 - C. I do not know
- 3-09. Does this school have a policy prohibiting advertisements or promotions, including sponsorships, for candy, sugar-sweetened beverages, * or other unhealthy foods and beverages on school premises?
 - A. Yes
 - B. No
 - C. I do not know

4. Health Education

- 4-01. Does this school teach health education?
 - A. Yes
 - B. No (Go to 6-01)
 - C. I do not know (Go to 6-01)
- 4-02. Does this school have someone officially responsible for managing or coordinating this school's health education?
 - A. Yes
 - B. No
 - C. I do not know

5. School Policies and Resources

5-01. Which of the following statements best describes how school policy addresses health services for students?

A. School policy provides a specific plan or guidelines for implementing health services for students

B. Health services are mentioned in a school policy, but there is no specific plan or guideline for implementing health services for students

- C. Health services for students are not addressed in any school policy
- D. I do not know
- 5-02. Which of the following statements best describes the availability of resources in this school's budget to improve overall student health?

A. The school budget contains adequate resources to improve overall student health

B. The school budget contains some resources for the improvement of overall student health, but not enough to do what is needed

C. The school budget does not contain any resources for the improvement of overall student health

D. I do not know

5-03. Which of the following statements best describes how the health of teachers and other school staff is promoted in school policy?

A. School policy provides a specific plan or guidance for promoting the health of teachers and other school staff

B. The health of teachers and other school staff is mentioned in school policy, but without a specific plan or guidance on how to promote it

C. The health of teachers and other school staff is not addressed in any school policy

D. I do not know

5-04. Does this school have a policy specifically about becoming or continuing to be a Health Promoting School?

A. Yes

B. No

C. I do not